


### **Complete Range**

High-performance saws for the steel and metalworking industry







Perfection from tradition

Perfection from tradition





It is the passion for the sawing process that has been driving us as industry leaders in band saw and circular saw technology.





Christian Behringer and Rolf Behringer now head the company in its third generation of family management.

### Innovative Sawing technology – A worthwhile investment

Whether shop floor model or high-end industrial saws – our aim is to always be "one step ahead" in terms of sawing performance and accuracy. We work closely together with saw blade manufacturers, we carry out tests with materials from our customers, and we are always looking for new challenges in the field of cutting steel, aluminum and special alloys. Through our constantly improving saw technology and innovation, we are able to support our customers and to give them a clear advantage in times of fierce competition. Such an investment is worthwhile from the very first day.

#### We are $\ensuremath{\mathsf{BEHRINGER}}$ – With passion

It is the ambition of everyone on our team, which brings us forward. Our highly qualified engineers and technicians are working constantly to improve

and further enhance our products. They conceive new products and features, refine, develop, and manufacture our high-performance saws in a committed and target-oriented manner. We are always striving for perfection – always with enthusiasm for new challenges.

### Made by BEHRINGER - Made in Germany

"From red iron to the finished product" - the extensive production depth, high-end machining centers, state-ofthe-art manufacturing methods and the integrated quality assurance system ensure the high quality standard of our products at every stage. Our own latest-state-of-the-art foundry and our long experience in the field of ductile and cast iron contribute to the premium quality of our cast components. This is how we achieve a high degree of toughness, a solid construction for maximum performance, high cutting accuracy and long service life of the tools and of every original BEHRINGER sawing machin







#### **Customer-oriented sawing concepts**

We know exactly what our customers need in terms of sawing. We understand their needs by always keeping in touch.

#### Individual solutions are our strength

BEHRINGER is an industry leader when it comes to customized solutions around the issue of material handling. We provide solutions specific to our customers need and are able to act in the capacity of overall project manager if required.

The modular design concept behind our saws allows us to supply a perfect solution to address your specific needs – ensuring the safe handling of even the heaviest of parts.

#### We are local as well as global

We are in places where our customers are – nationwide and international. With our locations in Germany, France, USA and China as well as with over 40 agencies worldwide, we are setting the standard in terms of implementing customer-focused service and communication. We know the markets, the industry, and its challenges.

A well-developed network of service technicians and service partners ensures prompt after-sales support on a manufacturer's quality level. Our well-equipped spare parts storage and in-house manufacturing assure a fast and – even more importantly – reliable spare parts supply, even for saws, which have provided more than 30 years of service.

### **Semi-automatic machines** for single cuts

The affordable combination of high cutting output and simple handling.





### A meticulously engineered machine concept

- Easy accessibilityReliable material clampingUniversal application

### Versatile application

- Steel trade/steel construction
- Metal construction
- Mechanical engineering
- Aerospace industry
- Automotive and supply industry
- Forging industry
- Tool and mould making

#### Technical Data

Model	Cutting	g range
	90° round	90° flat W x H
HBP263	260	300 x 260
HBP313	310	500 x 300
HBP413	410	500 x 400
HBP513	510	500 x 500
HBP360	360	430 x 360
HBP430	430	430 x 430
HBP530	530	700 x 530
HBP530-1104	530	1100 x 500
HBP610	610	610 x 610
HBP650	670	800 x 650
HBP800	800	800 x 800
HBP800XL	1000	1000 x 1000



Fully automatic machines HBP

# Fully automatic machines for versatile application

Fast, precise execution of multiple cuts. Makes for optimum efficiency in every field of metalworking.

BEHRINGER HBE 261A Dynamic







BEHRINGER HBP800-850A

#### Technical Data

All measurements in mm

Model		Cutting range	e		Cutting range	e	Feed length
	90° round	90° square W x H	90° flat W x H	45° round	45° square W x H	45° flat W x H	Single stroke
HBE261A Dynamic	260	260 x 260	300 x 260	-	-	-	650
HBE321A Dynamic	320	320 x 320	350 x 320	-	-	-	650
HBE411A Dynamic	410	410 x 410	510 x 510	-	-	-	650
HBE511A Dynamic	510	510 x 510	510 x 510	-	-	-	650
HBP263A	260	260 x 260	300 x 260	-	-	-	400
HBP313A	310	300 x 300	500 x 300	-	-	-	400
HBP413A	410	400 x 400	500 x 400	-	-	-	400
HBP513A	510	500 x 500	500 x 500	-	-	-	750
HBP263A-G	260	260 x 260	300 x 260	260	260 x 260	260 x 260	400
HBP313A-G	310	310 x 310	400 x 310	310	310 x 310	350 x 310	400
HBP430A	430	430 x 430	430 x 430	-	-	-	600
HBP530A	530	520 x 520	530 x 520	-	-	-	500
HBP610A	610	610 x 610	610 x 610	-	-	-	500
HBP650-850A	650	650 x 650	850 x 650	-	-	-	500
HBP800-850A	800	800 x 800	850 x 800	-	-	-	500
HBP800AXL	1000	1000 x 1000	1000 x 1000	-	-	-	500

Fully automatic machines HBM

# Unbeatable speed – even with the toughest jobs

To address the most stringent requirements. Ideal for high production and particularly hard steel qualities.

Aluminium, NF metals, materials with difficult cutting properties – the HBM series cuts practically anything down to size. With even greater simplicity, greater precision and, most importantly, higher speed.

The HBM makes light work of even the highest chip volumes. You too can benefit from the efficiency and flexibility of these outstanding high-performance bandsaws.

## Made for heavy-duty application

- Optimum processing quality
- Outstanding speed
- Unbeatable service life
- Process-safe material handling

## Saws practically any steel type

- Tool steels
- Stainless steels
- Heat/acid-resistant steels
- High-alloy steels
- $\hfill \blacksquare$  All structural and carbon steels

### The ideal solution for aluminium too

- Special versions for aluminium machining
- Extreme cutting speeds
- Effective chip disposal

## Low-manned production

 Available in range of automation stages, e.g. with magazine, cut-off gripper, marking unit etc.






Model	Cutting	g range	Feed length
	90° round	90° flat W x H	single stroke
HBM370A	370	440 x 370	600
HBM440A	440	440 x 440	600
HBM540A	540	630 x 540	500
HBM800A	800	800 x 800	600
HBM440ALU	440	440 x 440	600
HBM540ALU	540	630 x 540	500
HBM800ALU	800	800 x 800	600
HBM440A-PC-E	440	440 x 440	600
HBM540A-PC-E	540	630 x 540	500



# Mitre-cutting bandsaws – universal and flexible

Made for mitre cuts and steel profiles. Impressive output and cutting range.



BEHRINGER HBP410-923G



### Every cut a masterpiece of precision

- Optimum positioning accuracy for right/left mitre cuts
- Also for large cutting widths
- For wide-ranging different angles

#### Amazingly versatile

- Highly flexible, easy-to-operate angular adjustment
- Troublefree adjustment to individual requirements
- Wide-ranging different transport systems for simple material handling

#### Technical Data

Model	Cutting	g range	Mitre right	Mitro	e left
	90° round	90° flat W x H	45° flat W x H	45° flat W x H	30° flat W x H
HBP263G	260	400 x 260	-	260 x 260	150 x 150
HBP260-403G	260	400 x 260	200 x 260	260 x 260	150 x 150
HBP313G	310	520 x 310	-	350 x 310	230 x 300
HBP310-523G	310	520 x 310	260 x 310	350 x 310	230 x 300
HBP410-723G	410	700 x 400	450 x 380	450 x 400	300 x 300
HBP410-923G	410	900 x 400	600 x 380	600 x 400	400 x 300
HBP510-723G	510	700 x 500	450 x 500	450 x 500	300 x 400
HBP510-923G	510	900 x 500	600 x 500	600 x 500	400 x 400
HBP510-1208G	510	1200 x 510	810 x 510	810 x 510	510 x 510
HBP800-1304G	800	1300 x 750	800 x 600	800 x 600	-

All measurements in mm

11

Automatic mitre bandsaws Automatic mitre bandsaws

### The specialists for structural steel work





### Developed for automatic left and right mitre cuts.

### Angular precision guaranteed

- Highly efficient through NC angular adjustment
- High degree of positioning accuracy with NC length measurement device
- High feed length even with single stroke
   Reliable bundle cuts with package clamping unit (Option)

### Technical Data

Model		Cutting range			Mitre left				Mitre right			Feed length	
	90° round	90° square W x H	90° flat W x H	45° round	45° square W x H	45° flat W x H	30° round	30° square W x H	30° flat W x H	45° round	45° square W x H	45° flat W x H	Single stroke
HBP310-403GA	310	310 x 310	400 x 310	310	310 x 310	350 x 310	200	200 x 200	200 x 310	270	270 x 270	270 x 310	1200
HBP310-523GA	310	310 x 310	500 x 310	310	310 x 310	320 x 310	230	200 x 200	200 x 270	270	260 x 260	260 x 310	3000
HBP410-723GA	410	400 x 400	620 x 400	410	400 x 400	450 x 400	300	300 x 300	300 x 300	380	380 x 380	450 x 380	3000
HBP410-923GA	410	400 x 400	820 x 400	410	400 x 400	600 x 400	300	300 x 300	400 x 300	380	380 x 380	600 x 380	3000
HBP510-723GA	510	500 x 500	620 x 500	450	450 x 450	450 x 500	300	300 x 300	300 x 400	450	450 x 450	450 x 500	3000
HBP510-923GA	510	500 x 500	820 x 500	510	500 x 500	600 x 500	400	400 x 400	400 x 400	480	500 x 500	600 x 500	3000
HBP510-1208GA	510	510 x 510	1200 x 510	510	510 x 510	810 x 510	510	510 x 510	510 x 510	510	510 x 510	810 x 510	3000
HBP800-1004GA	810	800 x 800	1000 x 800	600	600 x 600	600 x 600	-	-	-	600	600 x 600	600 x 600	3000

Large bandsaws

### When the going gets tough

Unadulterated power – our high-powered solutions for large, heavy workpieces. Reliable, precise and extremely hardwearing.

# The optimum solution when the going gets tough


- Highly stable design
- Extreme load-bearing capacity up to 100 tons
- Outstanding durability
- Unsusceptible to faults

## Wide application range

- Heavy-duty large forged components
- Ships' crankshafts
- Turbine shaftsLarge-scale tools
- Metal blocks etc.

## Wide range of machine variants

- Machines with roller conveyors:
   Workpieces are transported on heavy-duty roller conveyors
- Table variants: Table is pushed with the workpiece through the fixed saw gantry
- Gantry design: Sawing frame travels over the fixed workpiece







#### Technical Data

Model		Cutting range		Minimum	Table	Portal
	90° round	00° round 90° square W x H 90° flat W x		clamping width	<b>size</b> L x B	traversing path
HBP1100 GANTRY	1100	1100 x 1100	1100 x 1100	100	6500 x 1200	5000
HBP1100-1500 GANTRY	1100	1100 x 1100	1500 x 1100	400	6500 x 1200	5000
HBP1100-1800 GANTRY	1100	1100 x 1100	1800 x 1100	400	6500 x 1500	5000
HBP1100-2100 GANTRY	1100	1100 x 1100	2100 x 1100	500	6500 x 1800	5000
HBP1500 GANTRY	1500	1500 x 1500	1500 x 1500	400	6500 x 1200	5000
HBP1500-1800 GANTRY	1500	1500 x 1500	1800 x 1500	400	6500 x 1500	5000
HBP1500-2100 GANTRY	1500	1500 x 1500	2100 x 1500	500	6500 x 1800	5000
HBP1800 GANTRY	1800	1800 x 1800	1800 x 1800	400	6500 x 1200	5000
HBP1800-2100 GANTRY	1800	1800 x 1800	2100 x 1800	500	6500 x 1800	5000
HBP2100 GANTRY	2100	2100 x 2100	2100 x 2100	500	6500 x 1800	5000

Model		Cutting range		Minimum	Table size	Table	Feed length
	90° round	90° square W x H	90° flat W x H	clamping width	L x B	traversing path	Single stroke
HBP1100	1100	1100 x 1100	1100 x 1100	100	-	-	-
HBP1100-1500	1100	1100 x 1100	1500 x 1100	300	-	-	-
HBP1100-1800	1100	1100 x 1100	1800 x 1100	400	-	-	-
HBP1100-2100	1100	1100 x 1100	2100 x 1100	500	-	-	-
HBP1500	1500	1500 x 1500	1500 x 1500	300	-	-	-
HBP1100A	1100	1100 x 1100	1100 x 1100	100	-	-	400
HBP1100-1500A	1100	1100 x 1100	1500 x 1100	300	-	-	400
HBP1500A	1500	1500 x 1500	1500 x 1500	300	-	-	400
HBP1100T	1100	1100 x 1100	1100 x 1100	100	3000 x 1200	2000	-
HBP1100-1500T	1100	1100 x 1100	1500 x 1100	400	3000 x 1200	2000	-
HBP1100-1800T	1100	1100 x 1100	1800 x 1100	400	3000 x 1500	2000	-
HBP1500T	1500	1500 x 1500	1500 x 1500	400	3000 x 1200	2000	-
HBP1500-1800T	1500	1500 x 1500	1800 x 1500	400	3000 x 1500	2000	-

### **Vertical machines for** perfect longitudinal cuts



### Precision with every cut

- High precision for cutting lengths up to 8 mSuitable for wide-ranging steel blocks and plate stock

#### Set-up time close to zero

- Extremely simple, high-speed saw band changeover
- No tools required

### Universal application scope

- Compact, space-saving construction
- Different variants for each application



### Technical Data

Model	Cutting range	Cutting height	Cutting length	
LPS60-T	720	600	1260	
LPS40-2	680	400	2000	
LPS40-3	680	400	3000	
LPS40-4	680	400	4000	
LPS40-6	680	400	6000	
LPS60-2	680	600	2000	
LPS60-3	680	600	3000	
LPS60-4	680	600	4000	
LPS40-120-3	1200	400	3000	
LPS40-120-4	1200	400	4000	
LPS20-120-6	1200	200	6000	
LPS80-120-3	1200	800	3000	
LPS80-120-4	1200	800	4000	

Model	Cutting range	Cutting height	Cutting length	
LPS60-120-6	1200	600	6000	
LPS120-120-3	1200	1200	3000	
LPS120-120-4	1200	1200	4000	
LPS100-120-6	1200	1000	6000	
LPS40-160-3	1600	400	3000	
LPS40-160-4	1600	400	4000	
LPS20-160-6	1600	200	6000	
LPS80-160-3	1600	800	3000	
LPS80-160-4	1600	800	4000	
LPS60-160-6	1600	600	6000	
LPS120-160-3	1600	1200	3000	
LPS120-160-4	1600	1200	4000	
LPS100-160-6	1600	1000	6000	

### "Classics" in any workshop

Proven thousands of times over: Swing frame band sawing machines and power hacksaws.



#### Technical Data Power hacksaws

Model		Operating range								
	90° round	45° round	90° square W x H	45° square W x H	90° flat W x H					
KS221HY	220	175	210 x 210	170 x 170	240 x 160					
KS251HY	250	175	230 x 230	170 x 170	250 x 200					
KS280HY	280	180	240 x 240	160 x 160	280 x 120					
KS325HY	325	210	280 x 280	200 x 200	300 x 200					
KS400HY	400	250	350 x 350	240 x 240	380 x 300					
Super 452	450	280	400 x 400	260 x 260	420 x 350					

All measurements in mm

### Technical Data Band sawing machines

Model	Cut	Cutting range		Mitre	Mitre left			
	90° round	90° flat W x H	45° round	45° flat W x H	30° round	30° flat W x H	45° round	45° flat W x H
SLB230G	240	280 x 210	185	180 x 140	115	110 x 110	-	-
SLB230DG	240	280 x 200	175	170 x 170	110	100 x 140	150	145 x 125
SLB230DG Semi-automatic	240	280 x 200	175	170 x 170	110	100 x 140	150	145 x 125
SLB240G Semi-automatic	260	370 x 260	260	290 x 220	180	180 x 180	-	-
SLB240A	260	270 x 260	-	-	-	-	-	-

All measurements in mm

### Everything in their favour

- Simple operation, minimal space requirement
- Low-maintenance and long life
- Excellent cost-to-performance ratio

# At home in workshops and industrial environments

- Forging workshops
- Metalworking shops, trainee workshops
- Repair and service departments



### **High-performance circular** saws for mass production

High-powered and precise: Designed especially for mass cutting of aluminium or high-output steel sawing - BEHRINGER EISELE offers you the best possible solution every time.

### The degree of automation is determined by the sawing assignment

■ Fully automatic circular saws for straight cuts: Optimum results and high performance for mass cutting of steel, aluminium and other NF metals. Round cutting range 200 mm (aluminium) and 150 mm (steel)

■ The Multi-Fluid cooling concept multiplies the already high cutting performance many times over by combining different cooling / lubrication





### Technical Data

Model		Cutting range					
	90° round	(kW) FU					
VA-L 350	115	105 x 105	200 x 70	15			
VA-L 560 NC1	200	170 x 170	300 x 150	24			

Model		Drive output	
	90° round	90° square	(kW) FU
HCS 70	10 – 75	10 x 10 - 60 x 60	8
HCS 90 E	12 – 90	12 x 12 – 65 x 65	8
HCS 100 MF	12 – 105	12 x 12 – 90 x 90	15
HCS 130 MF	20 – 135	20 x 20 - 110 x 110	15
HCS 160 MF	20 – 160	20 x 20 – 140 x 140	15
HCS 180 MF	40 – 180	40 x 40 – 150 x 150	26

### Circular saws for steeland other NF profiles

Where flexible, universal cutting of different metal types is on the agenda, BEHRINGER EISELE has just the right answer every time.

# Practically oriented to suit every need

- Manual circular saws for locksmiths, metal working firms and repair workshops: Easy to operate, roundcutting range up to 145 mm
- Fully automatic high-output circular saws: For mitre cuts on both sides;
  Round cutting range up to 150 mm

# Wide application spectrum

For cutting solid, profiles and tubular stock





#### Technical Data

Model	Cutting range max.										
	90° flat W x H	45° flat W x H	30° flat W x H	90° square	45° square	30° square	90° round	45° round	30° round		
VMS 300	120 x 75	80 x 75	60 x 75 <sup>1)</sup>	75	75	6013	90	90	701)		
VMS 350	170 x 100	95 x 100	65 x 100 <sup>1)</sup>	100	95	85 <sup>1)</sup>	120	120	1001)		
VMS 370	200 x 100	140 x 100	100 x 100 <sup>1</sup>	120	100	9011	130	130	1051)		
VMS 400 H	200 x 120	140 x 120	100 x 100 <sup>1)</sup>	120	120	1001	140	140	1101)		
VMS 400 A	200 x 120	140 x 120	120 x 90	120	120	100	140	140	120		
PSU 450 H	240 x 70	170 x 70	120 x 70	140	125	100	150	145	120		
PSU 450 L	240 x 70	170 x 70	120 x 70	140	125	100	150	145	120		
PSU 450 GS	Depending on fixture										
PSU 450 M	220 x 70	180 x 50	120 x 50	140	125	100	150	145	120		
PSU 450 A	240 x 70	170 x 70	120 x 70	140	125	100	150	145	120		

11 Right only All measurements in mm



### The BEHRINGER Product Range

- Straight-cutting bandsaws
- Mitre-cutting bandsaws
- Vertical bandsaws
- Large bandsaws
- Swing-frame bandsaws
- Hacksawing machines
- Loading and disposal devices and material handling systems
- Complete sawing systems overall concepts

### The BEHRINGER EISELE Product Range

- Vertical circular cold saws VMS
- Up stroking miter circular cold saws PSU
- Fully-automatic Aluminum-cutting circular cold saw VA-L
- Fully-automatic steel-cutting circular cold saw HCS
- Loading magazines, disposal devices and material handling systems
- Complete sawing systems overall concepts
- Integration into existing processes

#### Behringer GmbH

#### Maschinenfabrik und Eisengießerei

Industriestrasse 23 D-74912 Kirchardt Phone +49 (0) 72 66 / 207-0 Telefax +49 (0) 72 66 / 207-500 info@behringer.net www.behringer.net

#### Behringer Eisele GmbH

Austrasse 29 D-73235 Weilheim / Teck Phone +49 (0) 70 23 / 9 57 57 - 0 Telefax +49 (0) 70 23 / 9 57 57 - 80 info@eisele.behringer.net www.eisele.behringer.net